

Eastbuilding Vinyl Siding



TM

Since 2005

E&B OUTDOOR



vinyl siding / foam cladding / UPVC Panelling
Weatherboard / Outdoor walls and soffits

COVER EVERY SURFACE IN EestBuilding

Smart looking PVC that's easy to fit
easy to clean and easy to maintain

Give your house the wow factor with smart PVC outdoor siding. Choose from various ranges of fabulous contemporary designs. Our PVC vinyl siding panelling is an attractive cost effective alternative to tiles, paint or bricks. It is 100% waterproof, UV resistant, quick and easy to fit and comes in a range of thickness to suit every budget and applications - and with some many designs to choose from. It's the perfect solution for any and every house.



E&B collections	4-5
PVC Vinyl siding	6-13
PVC Foam siding/Weatherboard	15-18
PVC Woodgrain Cladding	19-25

SURROUND YOURSELF IN EestBuilding

Superb collections of E&B siding
panelling and profile for your house

**100%
WATERPROOF**
Suitable for wet areas

**COST
EFFECTIVE**
Value alternative to tiling

FAST FIT
Quick, easy fit, no wet trades required

NO HASSLE
Virtually maintenance free

NON POROUS
Non porous and mould free

EASY CLEAN
Hygienic and wipe clean

COVER IT
Can be installed over existing tiling

**30
YEARS**
Domestic use warranty

FIRE RATED
Tested to BS EN 13501 - s2007



PVC VINYL SIDING

Sun UV fight, wood grain, light in weight, easy fitting.
18 colors available, 20 years' outdoor guarantee, maintenance free.



PVC FOAM SIDING

DuPont UV fight resin, stronger wood grain, rich styling, light in weight,
super strong quality, 18 colors available, fast fitting, heat preservation,
sound insulation, 30 years' outdoor guarantee, maintenance free.



PVC WOODGRAIN

France / Korea UV fight foils, realistic wood grain, light in weight,
strong structural design, 15 years' outdoor guarantee,
30 colors available, Fast fitting, maintenance free.



PVC SOFFIT

France / Korea UV fight foils, realistic wood grain, light in weight,
strong structural design, 15 years' outdoor guarantee,
30 colors available, Fast fitting, maintenance free.




WELCOME TO E&B PVC VINYL SIDING

U.S UV fight resin, Wood grain, Light in weight,
Super easy fitting, 18 colors available,
20 years' outdoor guarantee, Maintenance free.




EASY-FIT SIDING KITS FOR PRACTICAL, ATTRACTIVE HOUSES

		<table><tr><td>ITEM NAME</td><td>AMERICAN STYLE</td></tr><tr><td>THICKNESS</td><td>0.9MM / 1.0MM</td></tr><tr><td>WIDTH</td><td>20.32CM FLAT (8")</td></tr><tr><td>LENGTH</td><td>3.8M / 5.8M</td></tr><tr><td>APPLICATION</td><td>CLADDING</td></tr></table>	ITEM NAME	AMERICAN STYLE	THICKNESS	0.9MM / 1.0MM	WIDTH	20.32CM FLAT (8")	LENGTH	3.8M / 5.8M	APPLICATION	CLADDING			<table><tr><td>ITEM NAME</td><td>EXTERNAL CORNER</td></tr><tr><td>THICKNESS</td><td>0.9MM</td></tr><tr><td>LENGTH</td><td>3.8M / 5.8M</td></tr><tr><td>APPLICATION</td><td>LAST PIECE OF PANEL WITH J STRIP</td></tr></table>	ITEM NAME	EXTERNAL CORNER	THICKNESS	0.9MM	LENGTH	3.8M / 5.8M	APPLICATION	LAST PIECE OF PANEL WITH J STRIP
ITEM NAME	AMERICAN STYLE																						
THICKNESS	0.9MM / 1.0MM																						
WIDTH	20.32CM FLAT (8")																						
LENGTH	3.8M / 5.8M																						
APPLICATION	CLADDING																						
ITEM NAME	EXTERNAL CORNER																						
THICKNESS	0.9MM																						
LENGTH	3.8M / 5.8M																						
APPLICATION	LAST PIECE OF PANEL WITH J STRIP																						
		<table><tr><td>ITEM NAME</td><td>DUTCH STYLE</td></tr><tr><td>THICKNESS</td><td>0.9MM / 1.0MM</td></tr><tr><td>WIDTH</td><td>20.32CM FLAT (8")</td></tr><tr><td>LENGTH</td><td>3.8M / 5.8M</td></tr><tr><td>APPLICATION</td><td>CLADDING</td></tr></table>	ITEM NAME	DUTCH STYLE	THICKNESS	0.9MM / 1.0MM	WIDTH	20.32CM FLAT (8")	LENGTH	3.8M / 5.8M	APPLICATION	CLADDING			<table><tr><td>ITEM NAME</td><td>END STRIP</td></tr><tr><td>THICKNESS</td><td>0.9MM</td></tr><tr><td>LENGTH</td><td>3.8M / 5.8M</td></tr><tr><td>APPLICATION</td><td>EXTERNAL CORNER TRIM</td></tr></table>	ITEM NAME	END STRIP	THICKNESS	0.9MM	LENGTH	3.8M / 5.8M	APPLICATION	EXTERNAL CORNER TRIM
ITEM NAME	DUTCH STYLE																						
THICKNESS	0.9MM / 1.0MM																						
WIDTH	20.32CM FLAT (8")																						
LENGTH	3.8M / 5.8M																						
APPLICATION	CLADDING																						
ITEM NAME	END STRIP																						
THICKNESS	0.9MM																						
LENGTH	3.8M / 5.8M																						
APPLICATION	EXTERNAL CORNER TRIM																						
		<table><tr><td>ITEM NAME</td><td>SOFFIT- VENTED</td></tr><tr><td>THICKNESS</td><td>1.0MM</td></tr><tr><td>WIDTH</td><td>30.48CM FLAT (12")</td></tr><tr><td>LENGTH</td><td>3.8M / 5.8M</td></tr><tr><td>APPLICATION</td><td>CEILING / CLADDING</td></tr></table>	ITEM NAME	SOFFIT- VENTED	THICKNESS	1.0MM	WIDTH	30.48CM FLAT (12")	LENGTH	3.8M / 5.8M	APPLICATION	CEILING / CLADDING			<table><tr><td>ITEM NAME</td><td>INTERNAL CORNER</td></tr><tr><td>THICKNESS</td><td>0.9MM</td></tr><tr><td>LENGTH</td><td>3.8M / 5.8M</td></tr><tr><td>APPLICATION</td><td>INTERNAL CORNER TRIM</td></tr></table>	ITEM NAME	INTERNAL CORNER	THICKNESS	0.9MM	LENGTH	3.8M / 5.8M	APPLICATION	INTERNAL CORNER TRIM
ITEM NAME	SOFFIT- VENTED																						
THICKNESS	1.0MM																						
WIDTH	30.48CM FLAT (12")																						
LENGTH	3.8M / 5.8M																						
APPLICATION	CEILING / CLADDING																						
ITEM NAME	INTERNAL CORNER																						
THICKNESS	0.9MM																						
LENGTH	3.8M / 5.8M																						
APPLICATION	INTERNAL CORNER TRIM																						
		<table><tr><td>ITEM NAME</td><td>SOFFIT- SOLID</td></tr><tr><td>THICKNESS</td><td>1.0MM</td></tr><tr><td>WIDTH</td><td>30.48CM FLAT (12")</td></tr><tr><td>LENGTH</td><td>3.8M / 5.8M</td></tr><tr><td>APPLICATION</td><td>CEILING / CLADDING</td></tr></table>	ITEM NAME	SOFFIT- SOLID	THICKNESS	1.0MM	WIDTH	30.48CM FLAT (12")	LENGTH	3.8M / 5.8M	APPLICATION	CEILING / CLADDING			<table><tr><td>ITEM NAME</td><td>CONNECT STRIP</td></tr><tr><td>THICKNESS</td><td>0.9MM</td></tr><tr><td>LENGTH</td><td>3.8M / 5.8M</td></tr><tr><td>APPLICATION</td><td>CONNECT PANELS IF NOT LONG ENOUGH</td></tr></table>	ITEM NAME	CONNECT STRIP	THICKNESS	0.9MM	LENGTH	3.8M / 5.8M	APPLICATION	CONNECT PANELS IF NOT LONG ENOUGH
ITEM NAME	SOFFIT- SOLID																						
THICKNESS	1.0MM																						
WIDTH	30.48CM FLAT (12")																						
LENGTH	3.8M / 5.8M																						
APPLICATION	CEILING / CLADDING																						
ITEM NAME	CONNECT STRIP																						
THICKNESS	0.9MM																						
LENGTH	3.8M / 5.8M																						
APPLICATION	CONNECT PANELS IF NOT LONG ENOUGH																						
		<table><tr><td>ITEM NAME</td><td>START STRIP</td></tr><tr><td>THICKNESS</td><td>0.9MM</td></tr><tr><td>LENGTH</td><td>3.8M / 5.8M</td></tr><tr><td>APPLICATION</td><td>FIRST PIECE OF CLADDING</td></tr></table>	ITEM NAME	START STRIP	THICKNESS	0.9MM	LENGTH	3.8M / 5.8M	APPLICATION	FIRST PIECE OF CLADDING			<table><tr><td>ITEM NAME</td><td>WIDE J STRIP</td></tr><tr><td>THICKNESS</td><td>0.9MM</td></tr><tr><td>LENGTH</td><td>3.8M / 5.8M</td></tr><tr><td>APPLICATION</td><td>WINDOW / DOOR SURROUND</td></tr></table>	ITEM NAME	WIDE J STRIP	THICKNESS	0.9MM	LENGTH	3.8M / 5.8M	APPLICATION	WINDOW / DOOR SURROUND		
ITEM NAME	START STRIP																						
THICKNESS	0.9MM																						
LENGTH	3.8M / 5.8M																						
APPLICATION	FIRST PIECE OF CLADDING																						
ITEM NAME	WIDE J STRIP																						
THICKNESS	0.9MM																						
LENGTH	3.8M / 5.8M																						
APPLICATION	WINDOW / DOOR SURROUND																						
		<table><tr><td>ITEM NAME</td><td>J STRIP</td></tr><tr><td>THICKNESS</td><td>0.9MM</td></tr><tr><td>LENGTH</td><td>3.8M / 5.8M</td></tr><tr><td>APPLICATION</td><td>LAST PIECE OF CLADDING / WINDOW</td></tr></table>	ITEM NAME	J STRIP	THICKNESS	0.9MM	LENGTH	3.8M / 5.8M	APPLICATION	LAST PIECE OF CLADDING / WINDOW			<table><tr><td>ITEM NAME</td><td>WATERPROOF</td></tr><tr><td>THICKNESS</td><td>0.9MM</td></tr><tr><td>LENGTH</td><td>3.8M / 5.8M</td></tr><tr><td>APPLICATION</td><td>LAST PIECE OF OTHER MATERIAL</td></tr></table>	ITEM NAME	WATERPROOF	THICKNESS	0.9MM	LENGTH	3.8M / 5.8M	APPLICATION	LAST PIECE OF OTHER MATERIAL		
ITEM NAME	J STRIP																						
THICKNESS	0.9MM																						
LENGTH	3.8M / 5.8M																						
APPLICATION	LAST PIECE OF CLADDING / WINDOW																						
ITEM NAME	WATERPROOF																						
THICKNESS	0.9MM																						
LENGTH	3.8M / 5.8M																						
APPLICATION	LAST PIECE OF OTHER MATERIAL																						




TRANSFORM EVERY SURFACE IN E&B

The PVC density ensures the panellings are hardwearing yet lightweight. The 100% waterproof and UV resistant panellings create a fashionable and functional outdoor wall covering. Smooth and easy to clean, with no difficulty, the hygienic, non-porous installation provides excellent protection against bacteria and stains and is mould resistant too.



4 TEXTURES OPTIONS




TEXTURE-1

TEXTURE-2

TEXTURE-3

TEXTURE-4

Worldwide 18 color swatch



* except color 014, all other color price same.


* all colors can be apply on both panels and accessories.



CREATE A STUNNING LOOK WITH E&B

The easy-fit PVC vinyl siding and profiles are designed for any wall materials. The joint of siding and profiles do not need 100% seamless. All profiles cover the end of sidings like caps. No matter you are professional installer or not, our products will make your installation confident, fast and 100% waterproof.

Sketch map for installation



Sketch Map for Installation



100% WATERPROOF
Suitable for wet areas

COST EFFECTIVE
Value alternative to tiling

FAST FIT
Quick, easy fit, no wet trades required

NO HASSLE
Virtually maintenance free

NON POROUS
Non porous and mould free

EASY CLEAN
Hygienic and wipe clean

COVER IT
Can be installed over existing tiling

25 YEARS
Domestic use warranty

FIRE RATED
tested to BS EN 13501 - class0

WELCOME TO EAST BUILDING PVC FOAM CLADDING/WEATHERBOARD



100% WATERPROOF
Suitable for wet areas

COST EFFECTIVE
Value alternative to tiling

FAST FIT
Quick, easy fit, no wet trades required

NO HASSLE
Virtually maintenance free

NON POROUS
Non porous and mould free

EASY CLEAN
Hygienic and wipe clean


COVER IT
Can be installed over existing tiling

35 YEARS
Domestic use warranty

FIRE RATED
Rated to BS 583 (ign - 15min)

WELCOME TO PVC FOAM CLADDING/WEATHERBORAD

DuPont UV fight resin, Strong wood grain , Rich styling
Light in weight, Super strong quality, Colorful
Fast fitting, Heat preservation, Sound insulation
30 years' outdoor guarantee, Maintenance free.



ITEM NAME	PVC FOAM BOARD - AW3013
THICKNESS	6MM
WIDTH	30.48CM (12")
LENGTH	3.81M / 5.8M
APPLICATION	CLADDING




ITEM NAME	AMERICAN STYLE
THICKNESS	0.9MM / 1.0MM
WIDTH	30.32CM FLAT (8")
LENGTH	3.81M / 5.8M
APPLICATION	CLADDING



ITEM NAME	PVC FOAM BOARD - AW175a
THICKNESS	3MM / 22MM
WIDTH	17.50CM
LENGTH	3.81M / 5.8M
APPLICATION	CLADDING



ITEM NAME	PVC FOAM PANEL - AW1501
THICKNESS	6MM
WIDTH	15CM
LENGTH	3.81M / 5.8M
APPLICATION	CLADDING



ITEM NAME	PVC FOAM PANEL - AW2251
THICKNESS	23MM
WIDTH	22.5CM
LENGTH	3.81M / 5.8M
APPLICATION	CLADDING



ITEM NAME	PVC LAMINATED FOAM PANEL - AW151
THICKNESS	6MM
WIDTH	15CM
LENGTH	3.81M / 5.8M
APPLICATION	CLADDING




ITEM NAME	PVC LAMINATED FOAM - AW1751
THICKNESS	8MM / 26MM
WIDTH	17.50CM
LENGTH	3.81M / 5.8M
APPLICATION	CLADDING



ITEM NAME	PVC FOAM PANEL - AW1001
THICKNESS	6MM
WIDTH	10CM
LENGTH	3.81M / 5.8M
APPLICATION	CLADDING

7 TEXTURES OPTIONS



WELCOME TO E&B PVC OUTDOOR WOODGRAIN CLADDING AND SOFFIT

France / Korea UV fight foils, Realistic wood grain, Light in weight, Strong structural design, 15 years' outdoor guarantee, Maintenance free, 30 colors available, Fast fitting,



100% WATERPROOF
Suitable for wet areas

COST EFFECTIVE
Value alternative to tiling

FAST FIT
Quick, easy fit, no wet trades required

NO HASSLE
Virtually maintenance free

NON POROUS
Non porous and mould free

EASY CLEAN
Hygienic and wipe clean

COVER IT
Can be installed over existing tiling

80 YEARS
Domestic use warranty

FIRE RATED
Tested to BS EN 13501-1

WELCOME TO E&B PVC OUTDOOR WOODGRAIN CLADDING & SOFFIT

France / Korea UV fight foils, Realistic wood grain, Light in weight, Strong structural design, 15 years' outdoor guarantee, Maintenance free, 30 colors available, Fast fitting,



THICKNESS	8MM
WIDTH	30CM Double V Groove
LENGTH	2.70M / 3.81M / 5.80M
FINISH	LAMINATION MATT
APPLICATION	CEILING & CLADDING



THICKNESS	8MM
WIDTH	20CM FLAT / 25 CM FLAT
LENGTH	2.70M / 3.81M / 5.95M
FINISH	LAMINATION MATT
APPLICATION	CEILING & CLADDING



THICKNESS	7MM/26CM
WIDTH	175CM
LENGTH	2.70M / 3.81M / 5.80M
FINISH	LAMINATION MATT
APPLICATION	CEILING & CLADDING



THICKNESS	8MM
WIDTH	20CM GAP / 25 CM GAP
LENGTH	2.70M / 3.81M / 5.95M
FINISH	LAMINATION MATT
APPLICATION	CEILING & CLADDING



THICKNESS	6MM
WIDTH	15CM
LENGTH	2.70M / 3.81M / 5.80M
FINISH	LAMINATION MATT
APPLICATION	CEILING & CLADDING



THICKNESS	8MM
WIDTH	30CM GAP
LENGTH	2.70M / 3.81M / 5.95M
FINISH	LAMINATION MATT

CORNER TRIM EXTERNAL LAMINATION MATT*

* 7 years and 15 years UV resistant options.
* Corner trims colors and textures same to panels.



L Corner



U Corner



H Corner



Top Corner



Clip

INSTALLATION WITH CLIPS



**100%
WATERPROOF**
Suitable for wet areas



**COST
EFFECTIVE**
Value alternative to tiling



FAST FIT
Quick, easy fit, no wet trades required



NO HASSLE
Virtually maintenance free



NON POROUS
Non porous and mould free



EASY CLEAN
Hygienic and wipe clean



COVER IT
Can be installed over existing tiling



30 YEARS
Domestic use warranty



FIRE RATED
Tested to BS EN 13501 - class 0

WELCOME TO E&B PVC OUTDOOR WOODGRAIN CLADDING & SOFFIT

France / Korea UV fight foils, Realistic wood grain, Light in weight, Strong structural design, 15 years' outdoor guarantee, Maintenance free, 30 colors available, Fast fitting,

Woodgrain Color Swatch Hot selling 18 colors



